

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** ANTIFORMIN S

**Product code:** ANTS

**Synonyms:** ANTS

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Beverage Processing Aids and Other Usages

### 1.3. Details of the supplier of the safety data sheet

**Company name:** Murphy and Son Ltd  
Murphy & Son Ltd  
Alpine St, Old Basford  
Nottingham  
NG6 0HQ  
United Kingdom

**Tel:** 0115 978 5494

**Email:** [technical@murphyandson.co.uk](mailto:technical@murphyandson.co.uk)

### 1.4. Emergency telephone number

**Emergency tel:** 0115 978 5494  
(office hours only)

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** Skin Corr. 1A: H314; Aquatic Acute 1: H400; -: EUH031

**Most important adverse effects:** Contact with acids liberates toxic gas. Causes severe skin burns and eye damage. Very toxic to aquatic life.

### 2.2. Label elements

**Label elements under CLP:**

**Hazard statements:** EUH031: Contact with acids liberates toxic gas.  
H314: Causes severe skin burns and eye damage.  
H400: Very toxic to aquatic life.

**Signal words:** Danger

**Hazard pictograms:** GHS05: Corrosion  
GHS09: Environmental



# SAFETY DATA SHEET

## ANTIFORMIN S

Page: 2

**Precautionary statements:** P264: Wash hands thoroughly after handling.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P273: Avoid release to the environment.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P391: Collect spillage.  
P501: Dispose of contents/container to hazardous or special waste collection point.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27-XXXX

| EINECS    | CAS       | PBT / WEL | CLP Classification  | Percent |
|-----------|-----------|-----------|---------------------|---------|
| 215-185-5 | 1310-73-2 | -         | Skin Corr. 1A: H314 | 1-10%   |

SODIUM HYPOCHLORITE SOLUTION CL ACTIVE - REACH registered number(s): 01-2119488154-34-XXXX

| EINECS    | CAS       | PBT / WEL | CLP Classification                                    | Percent |
|-----------|-----------|-----------|---|---------|
| 231-668-3 | 7681-52-9 | -         | Skin Corr. 1B: H314; Aquatic Acute 1: H400; -: EUH031 | 1-10%   |

## Section 4: First aid measures

### 4.1. Description of first aid measures

- Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.
- Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
- Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

### 4.2. Most important symptoms and effects, both acute and delayed

- Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
- Eye contact:** Corneal burns may occur. May cause permanent damage.

[cont...]

# SAFETY DATA SHEET

ANTIFORMIN S

Page: 3

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

[cont...]

# SAFETY DATA SHEET

ANTIFORMIN S

Page: 4

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

## 7.3. Specific end use(s)

**Specific end use(s):** Beverage Processing Aids and Other Usages

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Workplace exposure limits:

| State | 8 hour TWA                               |                           | 15 min. STEL |              |
|-------|--|---------------------------|--------------|--------------|
|       | 8 hour TWA                               | 15 min. STEL              | 8 hour TWA   | 15 min. STEL |
| EU    | 1.5 mg/m <sup>3</sup> (Cl <sub>2</sub> ) | 2mg/m <sup>3</sup> (NaOH) | -            | -            |

#### Respirable dust

#### Hazardous ingredients:

#### SODIUM HYDROXIDE

#### Workplace exposure limits:

| State | 8 hour TWA |                     | 15 min. STEL |              |
|-------|------------|---------------------|--------------|--------------|
|       | 8 hour TWA | 15 min. STEL        | 8 hour TWA   | 15 min. STEL |
| UK    | -          | 2 mg/m <sup>3</sup> | -            | -            |

#### Respirable dust

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Impermeable gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Yellow-green

**Odour:** Chlorine like

**Evaporation rate:** No data available.

**Oxidising:** No data available.

**Solubility in water:** Miscible in all proportions

**Viscosity:** No data available.

**Boiling point/range°C:** decomposes

**Melting point/range°C:** <0

**Flammability limits %: lower:** Not applicable.

**upper:** Not applicable.

**Flash point°C:** Not applicable.

**Part.coeff. n-octanol/water:** Not applicable.

**Autoflammability°C:** Not applicable.

[cont...]

# SAFETY DATA SHEET

ANTIFORMIN S

Page: 5

Relative density: 1.14-1.17

VOC g/l: Not applicable.

Vapour pressure: No data available.

pH: >13

## 9.2. Other information

Other information: Decomposes on heating to evolve oxygen

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

Hazardous ingredients:

#### SODIUM HYDROXIDE

|     |     |      |     |       |
|-----|-----|------|-----|-------|
| IPR | MUS | LD50 | 40  | mg/kg |
| ORL | RBT | LDLO | 500 | mg/kg |

#### SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE

|     |     |      |      |       |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 5800 | mg/kg |
|-----|-----|------|------|-------|

Relevant hazards for substance:

| Hazard                    | Route | Basis                 |
|---------------------------|-------|-----------------------|
| Skin corrosion/irritation | DRM   | Hazardous: calculated |

[cont...]

# SAFETY DATA SHEET

ANTIFORMIN S

Page: 6

|                               |     |                       |
|-------------------------------|-----|-----------------------|
| Serious eye damage/irritation | OPT | Hazardous: calculated |
|-------------------------------|-----|-----------------------|

## Symptoms / routes of exposure

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN1719

### 14.2. UN proper shipping name

**Shipping name:** CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide and sodium hypochlorite solution)

[cont...]

# SAFETY DATA SHEET

ANTIFORMIN S

Page: 7

(CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide and sodium hypochlorite solution))

## 14.3. Transport hazard class(es)

Transport class: 8

## 14.4. Packing group

Packing group: II

## 14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH031: Contact with acids liberates toxic gas.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

**Legend to abbreviations:** PNEC = predicted no effect concentration

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

LDLO = lethal dose low

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

[cont...]

## SAFETY DATA SHEET

ANTIFORMIN S

Page: 8

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

INH = inhalation

PCP = physico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Murphy and Son Ltd