

KMS SOLUTION 18%

Page: 1

Compilation date: 07/07/2014

Revision date: 24/09/2020

Revision No: 7

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: KMS SOLUTION 18%

Product code: KMSS18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Beverage Processing Aids and Other Usages

1.3. Details of the supplier of the safety data sheet

Company name: Murphy and Son Ltd

- Murphy & Son Ltd
- Alpine St, Old Basford
- Nottingham
- NG6 0HQ
- United Kingdom
- Tel: (+44) 115 978 5494
- Email: technical@murphyandson.co.uk

1.4. Emergency telephone number

Emergency tel: (+44) 115 978 5494

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Skin Corr. 1B: H314; Acute Tox. 4: H332; STOT SE 3: H335; -: EUH031
Most important adverse effects:	Contact with acids liberates toxic gas. Causes severe skin burns and eye damage.
	Harmful if inhaled. May cause respiratory irritation.

2.2. Label elements

Label elements:		
Hazard statements:	EUH031: Contact with acids liberates toxic gas.	
	H314: Causes severe skin burns and eye damage.	
	H332: Harmful if inhaled.	
	H335: May cause respiratory irritation.	
Hazard pictograms:	GHS05: Corrosion	
	GHS07: Exclamation mark	



KMS SOLUTION 18%

		· J ·
Signal words:	Danger	
Precautionary statements:	P260: Do not breathe dust/fume/gas/mist/vapours/spray.	
	P280: Wear protective gloves/protective clothing/eye protection/face protection.	
	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting	
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.	
	Rinse skin with water .	
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for	
	breathing.	
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
2.3. Other hazards		

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

POTASSIUM METABISULPHITE - REACH registered number(s): 01-2119537422-45-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
240-795-3	16731-55-8	-	Eye Dam. 1: H318; STOT SE 3: H335;	30-50%
			-: EUH031	

SULPHUR DIOXIDE

231-195-2	7446-09-5	-	Acute Tox. 3: H331; Skin Corr. 1B:	10-30%
			H314; Press. Gas: H280	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.
	Drench the affected skin with running water for 10 minutes or longer if substance is still
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist
	examination.
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.
	If unconscious and breathing is OK, place in the recovery position. Transfer to hospital
	as soon as possible.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If
	unconscious and breathing is OK, place in the recovery position. If conscious, ensure
	the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and
	provide oxygen if available. Transfer to hospital as soon as possible.

Page: 2

KMS SOLUTION 18%

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

KMS SOLUTION 18%

Page: 4

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	0.5ppm	1ppm	-	-

Hazardous ingredients:

POTASSIUM METABISULPHITE

Workplace exposure limits:

Respirable dust

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	0.5ppm	1ppm	-	-

SULPHUR DIOXIDE

UK 1.3 mg/m3 2.7 mg/m3

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.		
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.		
Hand protection:	Impermeable gloves.		
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.		
Skin protection:	Impermeable protective clothing.		
Environmental:	Refer to specific Member State legislation for requirements under Community		
	environmental legislation.		

KMS SOLUTION 18%

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties					
State:	Liquid				
Colour:	Pale yellow				
Odour:	Sulphur Dioxide (SO2)				
Evaporation rate:	No data available.				
Oxidising:	No data available.				
Solubility in water:	Miscible in all proportions				
Viscosity:	No data available.				
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.		
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.		
Flash point°C:	Not applicable. Pa	art.coeff. n-octanol/water:	No data available.		
Autoflammability°C:	Not applicable.	Vapour pressure:	No data available.		
Relative density:	1.20-1.25	pH:	5.5		
VOC g/I:	Not applicable.				

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

KMS SOLUTION 18%

Page: 6

Hazardous ingredients:

POTASSIUM METABISULPHITE

DERMAL	RAT	LD50	>2	g/kg
INV	RAT	LD50	115	mg/kg
ORAL	RAT	LD50	1131	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.	
Eye contact:	Corneal burns may occur. May cause permanent damage.	
Ingestion:	: Corrosive burns may appear around the lips. Blood may be vomited. There may be	
	bleeding from the mouth or nose.	
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may	
	cause coughing or wheezing.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

KMS SOLUTION 18%

Page: 7

Section 13: Disposal considerations			
13.1. Waste treatment methods			
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal		
	company.		
Recovery operations:	Not applicable.		
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.		
	Spillage and packaging should be disposed of in a manner approved of by the Local		
	Authority.		
NB:	The user's attention is drawn to the possible existence of regional or national		
	regulations regarding disposal.		
Section 14: Transport information			
Transport class:	This product does not require a classification for transport.		
Section 15: Regulatory informa	ation		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Specific regulations:			
15.2. Chemical Safety Assessm	ient		
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture		
	by the supplier.		
Section 16: Other information			
Other information			
Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation		
othor mornation.	(EU) 2015/830		
	* indicates text in the SDS which has changed since the last revision.		
Phrases used in s.2 and s.3:	EUH031: Contact with acids liberates toxic gas.		
	H314: Causes severe skin burns and eye damage.		
	H318: Causes serious eye damage.		
	H331: Toxic if inhaled.		
	H332: Harmful if inhaled.		
	H335: May cause respiratory irritation.		
Legend to abbreviations:	PNEC = predicted no effect concentration		
	DNEL = derived no effect level		
	LD50 = median lethal dose		
	LC50 = median lethal concentration		
	LDLO = lethal dose low		
	EC50 = median effective concentration		

IC50 = median inhibitory concentration

KMS SOLUTION 18%

Page: 8

dw = dry weight

bw = body weight cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

IPR = intraperitoneal

SCU = subcutaneous

ORL = oral

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

ING = ingestion

INH = inhalation

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.