

# SAFETY DATA SHEET

LAMINEX SUPER

**Page:** 1

Compilation date: 08/07/2015

Revision No: 1

1.1. Product identifier         Product name:       LAMINEX SUPER         Product code:       LAMINEX SUPER         1.2. Relevant identified uses of the substance or mixture and uses advised against         Use of substance / mixture:       Beverage Processing Aids and Other Usages         1.3. Details of the supplier of the safety data sheet         Company name:       Murphy and Son Ltd         Alpine Street       Nottingham         Nottingham       Nottinghamshire         NG6 0HQ       United Kingdom         Tel:       0115 978 5494         Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number       Emergency telephone number         Emergency telephone number       Classification         2.1. Classification of the substance or mixture       Classification of the substance or mixture         Classification on the CLP:       Resp. Sens. 1: H334         Most important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       L334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Vision       Precautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray. <th>Section 1: Identification of th</th> <th>ne substance/mixture and of the company/undertaking</th>	Section 1: Identification of th	ne substance/mixture and of the company/undertaking
Product code:       LAMINEX SUPER         1.2. Relevant identified uses of the substance or mixture and uses advised against         Use of substance / mixture:       Beverage Processing Aids and Other Usages         1.3. Details of the supplier of the safety data sheet         Company name:       Murphy and Son Ltd         Alpine Street       Nottingham         Nottingham       Nottingham         Nottingham       Nottingham         Nottingham       Nottingham         I.1. Emergency telephone number       Emergine 100 murphy and son Lot         Emergency telephone number       Emergency telephone number         2.1. Classification of the substance or mixture       Classification on the substance or mixture         Classification on under CLP:       Resp. Sens. 1: H334         tots important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements:       H34: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard statements:       H34: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GH508: Health hazard         Wixee       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.	1.1. Product identifier	
1.2. Relevant identified uses of the substance or mixture and uses advised against         Use of substance / mixture:       Beverage Processing Aids and Other Usages         1.3. Details of the supplier of the safety data sheet       Company name:         Murphy and Son Ltd       Alpine Street         Nottingham       Nottingham         Nottingham       Nottingham         Nottinghamshire       NG6 0HQ         United Kingdom       Tel:         115 978 5494       Email:         Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number       Emergency telephone number         Emergency tel:       +44 115 978 5494         (office hours only)       Section 2: Hazards identification         2.1. Classification of the substance or mixture       Classification under CLP:         Resp. Sens. 1: H334       ost important adverse effects:         May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Image:       Pati Avoid breathing dust/fumes/gas/mist/vapours/spray.         P265: In case of inadequate ventilation wear respiratory protection.   <	Product name:	LAMINEX SUPER
Use of substance / mixture: Beverage Processing Aids and Other Usages          1.3. Details of the supplier of the safety data sheet         Company name:       Murphy and Son Ltd         Alpine Street       Nottingham         Nottingham       Nottinghamshire         NG6 0HQ       United Kingdom         Tel:       0115 978 5494         Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number       Emeigency tel:         Emergency tel:       +44 115 978 5494         coffice hours only       Gette hours only         Section 2:       Hazards identification         2.1. Classification of the substance or mixture       Classification under CLP:         Resp. Sens. 1:       H334         loost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard statements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Image:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P265: In case of inadequate ventilation wear respiratory protect	Product code:	LAMINEX SUPER
1.3. Details of the supplier of the safety data sheet         Company name:       Murphy and Son Ltd         Alpine Street       Nottingham         Nottinghamshire       NG6 0HQ         United Kingdom       Tel: 0115 978 5494         Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number       (office hours only)         Section 2: Hazards identification       2.1. Classification of the substance or mixture         Classification under CLP:       Resp. Sens. 1: H334         toost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Image:       GHS08: Health hazard         Image:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	1.2. Relevant identified uses	of the substance or mixture and uses advised against
Company name:       Murphy and Son Ltd         Alpine Street       Nottingham         Nottinghamshire       NG6 0HQ         United Kingdom       Tel:         tet:       0115 978 5494         Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number       Emergency telephone number         2.1. Classification of the substance or mixture       Classification of the substance or mixture         Classification under CLP:       Resp. Sens. 1: H334         tost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       H34: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictogram:       GH508: Health hazard         Works       Danger         Hazard pictogram:       GH508: Health hazard         Works       Danger         Hazard pictogram:       GH508: Health hazard         Works       Danger         Hazard pictogram:       GH508: Health ing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	Use of substance / mixture:	Beverage Processing Aids and Other Usages
Apine Street Nottingham Nottinghamshire NG6 0HQ United Kingdom Tel: 0115 978 5494 Email: technical@murphyandson.co.uk 1.4.Emergency telephone number street Emergency telephone number street Emergency telephone number street Classification of the subserve or mixture Classification under CLP: Resp. Sens. 1: H334 cost important adverse effects: May cause allergy or asthma symptoms or breathing difficulties if inhaled. 2.1.Label elements Label elements Hazard statements: H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. 3. Signal words: Danger Hazard pictogram: GHS08: Health hazard Frecautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray. P265: In case of inadequate ventilation wear respiratory protection.	1.3. Details of the supplier of	the safety data sheet
NottinghamNottinghamshireNG6 0HQUnited KingdomTel:0115 978 5494Email:iechnical@murphyandson.co.uk1.4.Emergency telephoneEmergency telephoneEmergency telephoneEmergency telephoneClassification of the subscription of the subscriptionSection 2: Hazards identificationClassification under CLP:Resp. Sens. 1: H334ost important adverse effects:May cause allergy or asthma symptoms or breathing difficulties if inhaled.2.1. Label elementsLabel elementsHazard statements:H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.Signal words:DangerHazard pictogram:CH508: Health hazardImage:Precautionary statements:P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.P265: In case of inadequate ventilation wear respiratory protection.	Company name:	Murphy and Son Ltd
Notinghamshire         NG6 0HQ         United Kingdom         Tel:       0115 978 5494         Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number         Emergency telephone number         Emergency telephone number         Classification of the substance or mixture         Classification of the substance or mixture         Classification under CLP:       Resp. Sens. 1: H334         cost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.1. Label elements       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard statements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Experiments:       PS09: Health hazard         Precautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P265: In case of inadequate ventiliation wear respiratory protection.		Alpine Street
NGG HQ         United Kingdom         Tel:       0115 978 5494         Email:       technical@murphyandson.co.uk         1.4. Emergency telephonen       technical@murphyandson.co.uk         1.4. Emergency telephonen       technical@murphyandson.co.uk         1.4. Emergency telephone       technical@murphyandson.co.uk         1.4. Emergency telephone       technical@murphyandson.co.uk         1.4. Emergency telephone       technical@murphyandson.co.uk         Classification of the sub-telephone       technical@murphyandson.co.uk         Section 2: Hazards identification       technical@murphyandson.co.uk         Classification of the sub-telephone       technical@murphyandson.co.uk         Classification under CLP:       Resp. Sens. 1: H334         cost important adverse effects       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.1. Label elements       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Experiments       GHS08: Health hazard         Experiments       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.		Nottingham
Luited Kingdom Tei: 0115 978 5494 Email: technical@murphyandson.co.uk 1.4. Emergency telephone number Emergency tel: +44 115 978 5494 (office hours only) Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Resp. Sens. 1: H334 ost important adverse effects: May cause allergy or asthma symptoms or breathing difficulties if inhaled. 2.2. Label elements Label elements Hazard statements: H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Signal words: Danger Hazard pictograms: GHS08: Health hazard Frecautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray. P285: In case of inadequate ventilation wear respiratory protection.		Nottinghamshire
Tel:       0115 978 5494         Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number       Emergency telephone number         Emergency telephone number       (office hours only)         Section 2: Hazards identification of the substrate or mixture       Image: Note that the substrate or mixture         Classification under CLP:       Resp. Sens. 1: H334         ost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Frecautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.		NG6 0HQ
Email:       technical@murphyandson.co.uk         1.4. Emergency telephone number         Emergency telephone in the subsection in the subsection on the s		United Kingdom
1.4. Emergency telephone number         Emergency tel: +44 115 978 5494 (office hours only)         Section 2: Hazards identification         2.1. Classification of the substance or mixture         Classification under CLP: Resp. Sens. 1: H334         lost important adverse effects: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements         Label elements         Hazard statements: H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words: Danger         Hazard pictograms: GHS08: Health hazard         Version         Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	Tel:	0115 978 5494
Emergency tel:       +44 115 978 5494 (office hours only)         Section 2: Hazards identification         2.1. Classification of the substance or mixture         Classification under CLP:         Resp. Sens. 1: H334         oost important adverse effects:         May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements         Hazard statements:         H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Image: Precautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	Email:	technical@murphyandson.co.uk
Section 2: Hazards identification         2.1. Classification of the substance or mixture         Classification under CLP:       Resp. Sens. 1: H334         ost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Experiments:       Precautionary statements:         P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	1.4. Emergency telephone nu	Imber
Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Resp. Sens. 1: H334 ost important adverse effects: May cause allergy or asthma symptoms or breathing difficulties if inhaled. 2.2. Label elements Label elements under CLP: Hazard statements: H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Signal words: Danger Hazard pictograms: GHS08: Health hazard  Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray. P285: In case of inadequate ventilation wear respiratory protection.	Emergency tel:	+44 115 978 5494
2.1. Classification of the substance or mixture         Classification under CLP:       Resp. Sens. 1: H334         ost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Label elements under CLP:       Hazard statements:         Hazard statements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         V       V         Precautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.		(office hours only)
Classification under CLP:       Resp. Sens. 1: H334         ost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       Label elements under CLP:         Hazard statements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Vertice       Precautionary statements:         P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.       P285: In case of inadequate ventilation wear respiratory protection.	Section 2: Hazards identifica	ation
Classification under CLP:       Resp. Sens. 1: H334         ost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       Label elements under CLP:         Hazard statements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Vertice       Precautionary statements:         P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.       P285: In case of inadequate ventilation wear respiratory protection.	2.4. Classification of the sub	
ost important adverse effects:       May cause allergy or asthma symptoms or breathing difficulties if inhaled.         2.2. Label elements       Label allergy or asthma symptoms or breathing difficulties if inhaled.         Hazard statements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Vertice       Precautionary statements:         P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.		
2.2. Label elements         Label elements under CLP:         Hazard statements:       H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.         Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Vertice       Vertice         Precautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	Classification under CLP:	Resp. Sens. 1: H334
Label elements under CLP:Hazard statements:H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.Signal words:DangerHazard pictograms:GHS08: Health hazardViewerViewerPrecautionary statements:P261: Avoid breathing dust/fumes/gas/mist/vapours/spray. P285: In case of inadequate ventilation wear respiratory protection.	ost important adverse effects:	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Hazard statements:H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.Signal words:DangerHazard pictograms:GHS08: Health hazardVerticeVerticePrecautionary statements:P261: Avoid breathing dust/fumes/gas/mist/vapours/spray. P285: In case of inadequate ventilation wear respiratory protection.	2.2. Label elements	
Signal words:       Danger         Hazard pictograms:       GHS08: Health hazard         Vision       Vision         Precautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	Label elements under CLP:	
Hazard pictograms:       GHS08: Health hazard         Frecautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	Hazard statements:	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements:       P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.         P285: In case of inadequate ventilation wear respiratory protection.	Signal words:	Danger
P285: In case of inadequate ventilation wear respiratory protection.	Hazard pictograms:	GHS08: Health hazard
P285: In case of inadequate ventilation wear respiratory protection.		
	Precautionary statements:	P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
P304+341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at		P285: In case of inadequate ventilation wear respiratory protection.
· · · · · · · · · · · · · · · · · · ·		P304+341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

# LAMINEX SUPER

P342+311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

P501: Dispose of contents/container to hazardous or special waste collection point.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

#### Hazardous ingredients:

### CELLULASE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
232-734-4	9012-54-8	-	Resp. Sens. 1: H334	1-10%

### Section 4: First aid measures

	4.1. Description of first aid measures		
Skin contact:	Wash immediately with plenty of soap and water.		
Eye contact:	Bathe the eye with running water for 15 minutes.		
Ingestion:	Wash out mouth with water. Consult a doctor.		
Inhalation:	nalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If		
	conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK,		
	place in the recovery position. If breathing becomes bubbly, have the casualty sit and		
	provide oxygen if available. Transfer to hospital as soon as possible.		
4.2. Most important symptoms and effects, both acute and delayed			
Skin contact:	There may be mild irritation at the site of contact.		
Eye contact:	There may be irritation and redness.		
Ingestion:	There may be irritation of the throat. There may be shortness of breath due to congestion		
	of the lungs.		
Inhalation:	of the lungs. Exposure may cause coughing or wheezing. There may be congestion of the lungs		
Inhalation:			

Immediate / special treatment: Not applicable.

# Section 5: Fire-fighting measures

5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

## LAMINEX SUPER

#### 5.2. Special hazards arising from the substance or mixture

#### Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions:	Notify the police and fire brigade immediately. If outside do not approach from	
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the	
	contaminated area with signs and prevent access to unauthorised personnel. Do not	
	attempt to take action without suitable protective clothing - see section 8 of SDS. Turn	
	leaking containers leak-side up to prevent the escape of liquid.	
6.2. Environmental precautio	ns	
Environmental precautions:	Do not discharge into drains or rivers. Alert the neighbourhood to the presence of fumes	
	or gas. Contain the spillage using bunding.	
6.3. Methods and material for containment and cleaning up		

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is exhaust ventilation of the area. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): Beverage Processing Aids and Other Usages

## Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

## LAMINEX SUPER

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

## 8.2. Exposure controls

Engineering measures:	Ensure there is exhaust ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be used in handling.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Dark brown		
Odour:	Characteristic odour		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	Soluble		
Viscosity:	No data available.		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	3.7 - 4.2
VOC g/I:	No data available.		

9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

## LAMINEX SUPER

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

11.1. Information on toxicological effects

#### Relevant hazards for substance:

Hazard	Route	Basis
Respiratory/skin sensitisation	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be irritation of the throat. There may be shortness of breath due to congestion
	of the lungs.
Inhalation:	Exposure may cause coughing or wheezing. There may be congestion of the lungs
	causing severe shortness of breath.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

# Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

# LAMINEX SUPER

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

Transport class: This product does not require a classification for transport.

## Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Specific regulations: Not applicable.

## 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Legend to abbreviations:	PNEC = predicted no effect concentration
	DNEL = derived no effect level
	LD50 = median lethal dose
	LC50 = median lethal concentration
	LDLO = lethal dose low
	EC50 = median effective concentration
	IC50 = median inhibitory concentration
	dw = dry weight
	bw = body weight
	cc = closed cup
	oc = open cup
	MUS = mouse
	GPG = guinea pig
	RBT = rabbit
	HAM = hamster
	HMN = human
	MAM = mammal

LAMINEX SUPER

Page: 7

PGN = pigeon IVN = intravenous SCU = subcutaneous SKN = skin DRM = dermal OCC = ocular/corneal OPT = optical INH = inhalation PCP = physico-chemical properties ner: The above information is believed to b

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.