

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name:** PERACETIC ACID 5%

**Product code:** PAA5

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC8: Biocidal products (e.g. Disinfectants, pest control). PC35: Washing and cleaning products (including solvent based products).

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Murphy and Son Ltd  
Murphy & Son Ltd  
Alpine St, Old Basford  
Nottingham  
NG6 0HQ  
United Kingdom

**Tel:** (+44) 115 978 5494

**Email:** technical@murphyandson.co.uk

**1.4. Emergency telephone number**

**Emergency tel:** (+44) 115 978 5494  
(office hours only)

**Section 2: Hazards identification****2.1. Classification of the substance or mixture**

**Classification under CLP:** Ox. Liq. 3: H272; Skin Corr. 1A: H314; STOT SE 3: H335

**Most important adverse effects:** May intensify fire; oxidiser. Causes severe skin burns and eye damage. May cause respiratory irritation.

**2.2. Label elements****Label elements under CLP:**

**Hazard statements:** H272: May intensify fire; oxidiser.

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

**Hazard pictograms:** GHS03: Flame over circle

GHS05: Corrosion

GHS07: Exclamation mark



# SAFETY DATA SHEET

PERACETIC ACID 5%

Page: 2

**Signal words:** Danger

**Precautionary statements:** P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P260: Do not breathe dust/fumes/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.  
Rinse skin with water.  
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

##### HYDROGEN PEROXIDE SOLUTION

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-765-0	7722-84-1	-	Ox. Liq. 1: H271; Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Corr. 1A: H314	10-30%

##### ACETIC ACID

200-580-7	64-19-7	-	Flam. Liq. 3: H226; Skin Corr. 1A: H314	1-10%
-----------	---------	---	---	-------

##### PERACETIC ACID - REACH registered number(s): 01-2119531330-56-XXXX

201-186-8	79-21-0	-	Flam. Liq. 3: H226; Org. Perox. CD: H242; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1A: H314; Aquatic Acute 1: H400	1-10%
-----------	---------	---	--	-------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

[cont...]

# SAFETY DATA SHEET

PERACETIC ACID 5%

Page: 3

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

[cont...]

# SAFETY DATA SHEET

PERACETIC ACID 5%

Page: 4

## 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

### DNEL/PNEC Values

DNEL / PNEC No data available.

### 8.2. Exposure controls

**Engineering measures:** The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses.

**Skin protection:** Protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Colourless

**Odour:** Pungent

**Evaporation rate:** No data available.

**Oxidising:** Oxidising (by EC criteria)

**Solubility in water:** Miscible in all proportions

**Viscosity:** Non-viscous

**Boiling point/range°C:** 100

**Melting point/range°C:** -26 to 17

**Flammability limits %: lower:** 4

**upper:** No data available.

**Flash point°C:** 83

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** 485

**Vapour pressure:** 23 hPa

**Relative density:** 1.110 - 1.120

**pH:** <2

**VOC g/l:** No data available.

### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

[cont...]

# SAFETY DATA SHEET

PERACETIC ACID 5%

Page: 5

## 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

## 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	2980	mg/kg
DERMAL	RAT	LD50	>2000	mg/kg
VAPOURS	RAT	4H LC50	>36	mg/kg

#### Hazardous ingredients:

##### HYDROGEN PEROXIDE SOLUTION...100%

ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	376	mg/kg
SKN	RAT	LD50	4060	mg/kg

##### ACETIC ACID...100%

IVN	MUS	LD50	525	mg/kg
ORL	RAT	LD50	3310	mg/kg

##### PERACETIC ACID...100%

IVN	MUS	LD50	17860	µg/kg
ORL	MUS	LD50	210	mg/kg
ORL	RAT	LD50	1540	µl/kg

[cont...]

# SAFETY DATA SHEET

PERACETIC ACID 5%

Page: 6

## Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity values:

Species	Test	Value	Units
ALGAE	96H LC50	>300	mg/l
Daphnia magna	48H EC50	>300	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Not biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** Bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Toxic to aquatic organisms. Toxic to soil organisms.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

# SAFETY DATA SHEET

PERACETIC ACID 5%

Page: 7

## Section 14: Transport information

### 14.1. UN number

UN number: UN3149

### 14.2. UN proper shipping name

Shipping name: HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED

### 14.3. Transport hazard class(es)

Transport class: 5.1 (8)

### 14.4. Packing group

Packing group: II

### 14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H226: Flammable liquid and vapour.  
H242: Heating may cause a fire.  
H271: May cause fire or explosion; strong oxidiser.  
H272: May intensify fire; oxidiser.  
H302: Harmful if swallowed.  
H312: Harmful in contact with skin.  
H314: Causes severe skin burns and eye damage.  
H332: Harmful if inhaled.  
H335: May cause respiratory irritation.  
H400: Very toxic to aquatic life.

[cont...]

## SAFETY DATA SHEET

PERACETIC ACID 5%

Page: 8

**Legend to abbreviations:** PNEC = predicted no effect concentration

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

LDLO = lethal dose low

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

INH = inhalation

PCP = physico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.