

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** MURPHY SUPER F**Product code:** SUPER F**Synonyms:** MURPHYS SUPER FININGS**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet****Company name:** Murphy and Son Ltd

Murphy & Son Ltd

Alpine St, Old Basford

Nottingham

NG6 0HQ

United Kingdom

Tel: (+44) 115 978 5494**Email:** technical@murphyandson.co.uk**1.4. Emergency telephone number****Emergency tel:** (+44) 115 978 5494

(office hours only)

Section 2: Hazards identification**2.1. Classification of the substance or mixture****Classification under CLP:** This product has no classification under CLP.**2.2. Label elements****Label elements:** This product has no label elements.**2.3. Other hazards****PBT:** This product is not identified as a PBT/vPvB substance.**Section 3: Composition/information on ingredients****3.2. Mixtures**

SAFETY DATA SHEET

MURPHY SUPER F

Page: 2

Non-classified ingredients:

AMORPHOUS SILICON DIOXIDE, CHEMICALLY PREPARED

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-545-4	7631-86-9	-	-	10-30%

ORTHOPHOSPHORIC ACID

231-633-2	7664-38-2	-	Skin Corr. 1B: H314	<1%
-----------	-----------	---	---------------------	-----

SODIUM CARBOXYMETHYL CELLULOSE

618-378-6	9004-32-4	-	-	<1%
-----------	-----------	---	---	-----

SILICIC ACID SODIUM SALT - REACH registered number(s): 01-2119448725-31-XXXX

215-687-4	1344-09-8	-	STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315	<1%
-----------	-----------	---	---	-----

SULPHURIC ACID

231-639-5	7664-93-9	-	Skin Corr. 1A: H314	<1%
-----------	-----------	---	---------------------	-----

SODIUM METABISULPHITE - REACH registered number(s): 01-2119531326-45-XXXX

231-673-0	7681-57-4	-	Acute Tox. 4: H302; Eye Dam. 1: H318; -: EUH031	-
-----------	-----------	---	--	---

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

[cont...]

SAFETY DATA SHEET

MURPHY SUPER F

Page: 3

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is exhaust ventilation of the area. Avoid the formation or spread of mists in the air. Wear suitable protective clothing when mixing or working with the product.
Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Non-classified ingredients:

[cont...]

SAFETY DATA SHEET

MURPHY SUPER F

Page: 4

ORTHOPHOSPHORIC ACID...100%

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m ³	2 mg/m ³	-	-

SODIUM CARBOXYMETHYL CELLULOSE

EU	-	-	10mg/m ³	-
----	---	---	---------------------	---

SULPHURIC ACID...100%

UK	0.05 mg/m ³	-	-	-
----	------------------------	---	---	---

SODIUM METABISULPHITE

UK	5 mg/m ³	-	4 mg/m ³	-
----	---------------------	---	---------------------	---

DNEL/PNEC Values

MURPHY SUPER F

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	4 E Mg/m ³	Workers	Acute Local
DNEL	Inhalation	4 E Mg/m ³	Workers	Long Local

8.2. Exposure controls

Engineering measures: Ensure there is exhaust ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Brown

Odour: Barely perceptible odour

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Miscible in all proportions

Viscosity: Viscous

Boiling point/range°C: 100

Melting point/range°C: 0

Flammability limits %: lower: Not Flammable

upper: No data available.

Flash point°C: No data available.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: 23hPa

Relative density: 1.20 -1.30 g/cm³

pH: 8.5 - 10.2

[cont...]

SAFETY DATA SHEET

MURPHY SUPER F

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
VAPOURS	RAT	LD0	>140->2000	mg/m3/4h
DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

Non-classified ingredients:

ORTHOPHOSPHORIC ACID...100%

ORL	RAT	LD50	1530	mg/kg
-----	-----	------	------	-------

SODIUM CARBOXYMETHYL CELLULOSE

ORAL	GPG	LD50	16000	mg/kg
ORAL	RAT	LD50	27000	mg/kg

[cont...]

SAFETY DATA SHEET

MURPHY SUPER F

Page: 6

SULPHURIC ACID...100%

ORL	RAT	LD50	2140	mg/kg
-----	-----	------	------	-------

SODIUM METABISULPHITE

IVN	RAT	LD50	115	mg/kg
ORL	RAT	LD50	1131	mg/kg
SKN	RAT	LD50	>2	gm/kg

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
ALGAE	72H ErC50	>1000	mg/l
Water Flea	24H EC50	>1000	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC0	1000	mg/l

Hazardous ingredients:

SODIUM METABISULPHITE

ALGAE	72H ErC50	43.8	mg/l
Daphnia magna	48H EC50	89	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	50 - 200	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

[cont...]

SAFETY DATA SHEET

MURPHY SUPER F

Page: 7

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. Dispose in a safe manner in accordance with local/national regulations. Do not allow the wash water to run off into any sewer, stream, well or pond, and if necessary soak it up with more absorbent material. Collect spillages in an appropriate container.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable. A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH031: Contact with acids liberates toxic gas.
H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.

Legend to abbreviations: PNEC = predicted no effect concentration
DNEL = derived no effect level
LD50 = median lethal dose
LC50 = median lethal concentration
LDLO = lethal dose low

[cont...]

SAFETY DATA SHEET

MURPHY SUPER F

Page: 8

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

IPR = intraperitoneal

SCU = subcutaneous

ORL = oral

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

ING = ingestion

INH = inhalation

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.