

SODIUM CHLORIDE TABLETS

Page: 1

Compilation date: 28/06/2015

**Revision date:** 04/08/2020

Revision No: 2

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SODIUM CHLORIDE TABLETS

REACH registered number(s): 01-2119485491-33-XXXX

**CAS number:** 7647-14-5

**EINECS number: 231-598-3** 

Product code: SODCHL

Synonyms: SALT

**VACUUM SALT** 

**HALITE** 

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Beverage Processing Aids and Other Usages

# 1.3. Details of the supplier of the safety data sheet

Company name: Murphy and Son Ltd

Murphy & Son Ltd

Alpine St, Old Basford

Nottingham

NG6 0HQ

United Kingdom

**Tel:** (+44) 115 978 5494

Email: technical@murphyandson.co.uk

#### 1.4. Emergency telephone number

Emergency tel: (+44) 115 978 5494

(office hours only)

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

### 2.2. Label elements

Label elements: This product has no label elements.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

#### SODIUM CHLORIDE TABLETS

Page: 2

#### Section 3: Composition/information on ingredients

#### 3.1. Substances

Chemical identity: SODIUM CHLORIDE TABLETS

**CAS number:** 7647-14-5 **EINECS number:** 231-598-3

REACH registered number(s): 01-2119485491-33-XXXX

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

Eye contact: Remove contact lenses, if present and easy to do. Rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes. Obtain medical attention if pain,

blinking, tears or redness persist.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water

to drink immediately. Seek medical attention if ill effect develops

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** May dry skin leading to irritation if contact is prolonged or skin is sensitive.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Repeated ingestion of excessive amounts may cause disturbance of body electrolyte

and fluid balance.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

# Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

SODIUM CHLORIDE TABLETS

Page: 3

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Avoid breathing dust Avoid

prolonged contact with the skin and inhalation of dust concentrations.

#### 6.2. Environmental precautions

Environmental precautions: Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted

to the Environmental Agency or other appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Sweep up or vacuum up the product Transfer to a suitable, correctly labelled closed

container, preferably for re-use, otherwise for disposal.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid prolonged or repeated contact with the skin or any eye contact. Avoid the formation

or spread of dust in the air. Salt is non-flammable but static electricity can be generated by pneumatic conveying, therefore pipes should be bonded and earthed, especially in

environments where a spark could prove hazardous.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Due to the products hygroscopic nature it should be

stored in a dry atmosphereand away from concentrated acids. Absorbs moisture if the

relative humidity is greater than 75%

#### 7.3. Specific end use(s)

Specific end use(s): Beverage Processing Aids and Other Usages

## Section 8: Exposure controls/personal protection

# 8.1. Control parameters

# Workplace exposure limits:

# Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	10 mg/m3		-	

#### **DNEL/PNEC Values**

DNEL / PNEC No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. Static electricity can be generated by

pneumatic conveying; therefore pipes should be bonded and earthed in environments

where a spark could prove hazardous.

#### SODIUM CHLORIDE TABLETS

Page: 4

Respiratory protection: If dust concentration is above occupational exposure limits then a respiratory filter / face

mask to EN 149:2001 FFP1 minimum should be worn.

Hand protection: Protective gloves. Protective gloves to be worn if prolonged contact is anticipated. Dry

material and concentrated solutions can cause withdrawal of fluids from the skin.

**Eye protection:** Safety glasses. Ensure eye bath is to hand. **Skin protection:** Skin should be washed to remove product.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

#### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Solid
Colour: White

Odour: Odourless

Evaporation rate: Not applicable.

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Not applicable.

Boiling point/range°C: 1413 Melting point/range°C: 802

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable. Vapour pressure: 2.4

Relative density: 1.25 pH: 10 (10% sol.)

VOC g/I: Not applicable.

#### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat.

#### SODIUM CHLORIDE TABLETS

Page: 5

## 10.5. Incompatible materials

Materials to avoid: Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: Contact with acids liberates very toxic gas. On exposure to high temperature, may

decompose, releasing toxic gases.

# **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Toxicity values:**

Route	Species	Test	Value	Units
ORAL	RAT	LD50	3000	mg/kg

## Symptoms / routes of exposure

**Skin contact:** May dry skin leading to irritation if contact is prolonged or skin is sensitive.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Repeated ingestion of excessive amounts may cause disturbance of body electrolyte

and fluid balance.

## **Section 12: Ecological information**

# 12.1. Toxicity

## **Ecotoxicity values:**

Species	Test	Value	Units
ALGAE	72H IC50	3014	mg/l
Daphnia magna	48H EC50	2024	mg/l
FISH	96H LC50	6750	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: Readily biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Soluble in water.

# 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### SODIUM CHLORIDE TABLETS

Page: 6

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Dispose in a safe manner in accordance with local/national regulations.

Disposal of packaging: They can be recycled after thorough and proper cleaning. Packagings that cannot be

cleaned are to be disposed of in the same manner as the product.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Legend to abbreviations:** PNEC = predicted no effect concentration

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

LDLO = lethal dose low

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

## SODIUM CHLORIDE TABLETS

Page: 7

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

IPR = intraperitoneal

SCU = subcutaneous

ORL = oral

SKN = skin

DRM = dermal

OCC = ocular/corneal

OPT = optical

ING = ingestion

INH = inhalation

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.