

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**Product Name **ProSid™ MI 700**

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application Premixture

Uses advised against Not identified.

1.3. Details of the supplier of the safety data sheet**Manufacturer****Perstorp Specialty Chemicals AB**

SE-284 80 Perstorp, Sweden

Tel. +46 435 380 00

www.perstorp.com

Perstorp Waspik B.V.

Industrieweg 8

NL-5165 NH Waspik

The Netherlands

Tel. +31 (0)416 31 77 00 perstorp.com

E-mail address productinfo@perstorp.com

1.4. Emergency telephone number

Europe (+)1 760 476 3961 (contract no: 334101)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation

Category 2 - (H315)

Serious eye damage/eye irritation

Category 1 - (H318)

Specific target organ toxicity (single exposure)

Category 3 - (H335)

2.2. Label elements**Symbols/Pictograms****Signal word**

Danger

Hazard statements

H318 - Causes serious eye damage
 H315 - Causes skin irritation
 H335 - May cause respiratory irritation

Precautionary Statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
 P280 - Wear protective gloves and eye/face protection
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor
 P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
 P332 + P313 - If skin irritation occurs: Get medical advice/attention

Contains: Propionic acid 60-70%

2.3. Other hazards

May be harmful if swallowed. May be harmful in contact with skin. Combustible liquid. The components in this formulation do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	REACH Registration Number	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propionic acid	201-176-3	79-09-4	01-2119486971-24-0002	60-70	Flam. Liq. 3 (H226) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335)
Sodium formate	205-488-0	141-53-7	01-2119486468-21-0000	1-5	Not classified
1,2,3-propanetriol, glycerol	200-289-5	56-81-5	No data available	1-5	Not classified
Glycerol propionates	Not available	XXX-XX-X	No data available	20-30	Not classified

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Emergency eyewash facilities must be located in the vicinity of where the product is handled.
Inhalation	Remove to fresh air. Rinse mouth with water. If irritation persists get medical advice/attention.
Skin contact	Immediately flush skin with water and rinse skin with soap and water for at least 5-10 minutes. Use lukewarm water if possible. Remove contaminated clothing and shoes. Get medical attention if redness does not disappear.
Eye contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Use lukewarm water if possible. Keep eye wide open while rinsing.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink plenty of water afterwards. Never give anything by mouth to an unconscious person. If a large quantity has been ingested or you feel unwell, get medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact: Causes severe irritation with flood of tears and pain and strong redness and swelling of the eye. Risk of permanent eye damage. May cause skin irritation and/or dermatitis Inhalation of vapours in high concentration may cause irritation of respiratory system

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Additional information

Cool containers with flooding quantities of water until well after fire is out. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate affected area. Remove all sources of ignition.

6.2. Environmental precautions

Minimize the area spreading and cover the drains. Do not allow into any sewer, on the ground or into any body of water. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Methods for containment

Small spill	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal
Large spill	Pump up the product into a spare container suitably labelled.

Methods for cleaning up

Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

6.4. Reference to other sections

See Section 7,8,13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation, especially in confined areas. Use personal protection recommended in Section 8. Avoid: aerosol or mist formation.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry and cool place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

7.3. Specific end use(s)

This information is supplied in the present Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Keep personal exposure levels below Derived No Effect Level (DNEL) and national exposure limit values (if existing).

Chemical Name	European Union	Ireland
Propionic acid 79-09-4	TWA 10 ppm TWA 31 mg/m ³ STEL 20 ppm STEL 62 mg/m ³	TWA: 10 ppm TWA: 31 mg/m ³ STEL: 20 ppm STEL: 62 mg/m ³
1,2,3-propanetriol, glycerol 56-81-5	Not available	TWA: 10 mg/m ³ STEL: 30 mg/m ³

Derived No Effect Level (DNEL) - worker

Propionic acid (79-09-4)			
Type	Exposure route	DNEL	Remarks
Acute effects, local	Inhalation	62	mg/m ³
Chronic effects, local	Inhalation	31	mg/m ³
Chronic effects, systemic	Inhalation	73	mg/m ³
Chronic effects, systemic	Dermal	20.9	mg/kg bw/d

Sodium formate (141-53-7)			
Type	Exposure route	DNEL	Remarks
Acute effects, local	Dermal	16.7	mg/cm ²
Acute effects, systemic	Dermal	5000	mg/kg bw/d
Chronic effects, systemic	Dermal	5000	mg/kg bw/d
Chronic effects, local	Dermal	16.7	mg/cm ²
Acute effects, systemic	Inhalation	350	mg/m ³
Chronic effects, systemic	Inhalation	353	mg/m ³

1,2,3-propanetriol, glycerol (56-81-5)			
Type	Exposure route	DNEL	Remarks
Chronic effects, local	Inhalation	56	mg/m ³

Derived No Effect Level (DNEL) - Consumer

Propionic acid (79-09-4)			
Type	Exposure route	DNEL	Remarks
Chronic effects, systemic	Oral	10.5	mg/kg bw/d
Chronic effects, systemic	Inhalation	18.3	mg/m ³
Acute effects, local	Inhalation	30.8	mg/m ³
Chronic effects, local	Inhalation	3.7	mg/m ³
Chronic effects, systemic	Dermal	10.5	mg/kg bw/d

Sodium formate (141-53-7)			
Type	Exposure route	DNEL	Remarks
Chronic effects, systemic	Oral	25	mg/kg bw/d
Acute effects, systemic	Inhalation	87	mg/m ³
Chronic effects, systemic	Inhalation	87	mg/m ³
Acute effects, local	Dermal	8.33	mg/cm ²
Acute effects, systemic	Dermal	2500	mg/kg bw/d
Chronic effects, local	Dermal	8.3	mg/cm ²
Chronic effects, systemic	Dermal	2500	mg/kg bw/d

1,2,3-propanetriol, glycerol (56-81-5)			
Type	Exposure route	DNEL	Remarks
Chronic effects, systemic	Oral	229	mg/kg bw/d
Chronic effects, local	Inhalation	33	mg/m ³

Predicted No Effect Concentration (PNEC)

Propionic acid (79-09-4)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	Remarks
Freshwater	0.5	mg/l
Impact on Sewage Treatment	5	mg/l
Marine water	0.05	mg/l
Freshwater sediment	1.86	mg/kg dry weight
Marine sediment	0.186	mg/kg dry weight
Soil	0.1258	mg/kg dry weight
Air		No hazard identified

Sodium formate (141-53-7)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	Remarks
Freshwater	2	mg/l
Intermittent	10	mg/l
Freshwater sediment	13.4	mg/kg dry weight
Marine water	0.2	mg/l
Marine sediment	1.34	mg/kg dry weight
Impact on Sewage Treatment	2.21	mg/l
Soil	1.5	mg/kg dry weight

1,2,3-propanetriol, glycerol (56-81-5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	Remarks
Freshwater	0.885	mg/l
Marine water	0.088	mg/l
Impact on Sewage Treatment	1000	mg/l
Freshwater sediment	3.3	mg/kg dry weight
Marine sediment	0.33	mg/kg dry weight
Soil	0.141	mg/kg dry weight

8.2. Exposure controls

Appropriate engineering controls

Eyewash stations. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand Protection	Wear protective gloves. Butyl rubber. Chloroprene rubber, CR. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.
Skin and body protection	Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes).
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Suitable respiratory protection for lower concentrations or short-term exposure: Gas filter for gases/vapours of organic compounds (boiling point >65°C, e. g. Type A) Suitable respiratory protection for higher concentrations or long-term exposure: Self-contained breathing apparatus.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

liquid
colourless / yellow

Odour

Pungent

Odour threshold

No information available

Property

Value

Remarks • Method

pH

3.0 - 4.0

solution (5 %)

Melting point / freezing point

Not determined

Boiling point / boiling range

Not determined

Flash point

61 °C

ASTM D 7094-04

Evaporation rate

No information available

Flammability (solid, gas)

Not applicable

Explosive limits

Upper explosive limits

No information available

Lower explosive limits

No information available

Vapour pressure

No information available

Vapour density

No information available

Relative density

No information available

Water solubility

Miscible in water

Solubility(ies)

No information available

Partition coefficient

See Section 12 for additional ecological information

Autoignition temperature

No information available

Decomposition temperature

Not determined

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Explosive properties

The product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Oxidising properties

Not oxidising.

Density

1.0 - 1.1 g/cm³

@ 20 °C

Bulk density

No information available

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

There exists no specific test data for this product. For further information, see the subsequent subsections of this chapter.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with: Strong bases, Oxidising substances

10.4. Conditions to avoid

None under normal use conditions.

10.5. Incompatible materials

None under normal use conditions

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Inhalation. Dermal.

Symptoms related to the physical, chemical and toxicological characteristics

See Section 4 for more information.

Numerical measures of toxicity**Acute toxicity**

May be harmful if swallowed.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	4,344.00 mg/kg
ATEmix (dermal)	4,136.00 mg/kg
ATEmix (inhalation-dust/mist)	184.00 mg/l
ATEmix (inhalation-vapour)	264.00 mg/l

Acute oral toxicity	12 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
Acute dermal toxicity	12 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
Acute inhalation toxicity - Vapour	14 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
Acute inhalation toxicity - dust/mist	81 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Propionic acid (79-09-4)				
Method	Species	Exposure route	Effective dose	Remarks
OECD Test No. 401: Acute Oral Toxicity	Rat	Oral	3455	LD50 (lethal dose) mg/kg
OECD Test No. 403: Acute Inhalation Toxicity	Rat	Inhalation	>19.7	LC50 mg/l 1h vapor
OECD Test No. 402: Acute Dermal Toxicity	Rat	Dermal	3235	LD50 (lethal dose) mg/kg

Sodium formate (141-53-7)				
Method	Species	Exposure route	Effective dose	Remarks
OECD Test No. 420: Acute Oral Toxicity - Fixed Dose Procedure	Rat	Oral	3000	LD50 (lethal dose) mg/kg
OECD Test No. 402: Acute Dermal Toxicity	Rat	Dermal	>2000	LD50 (lethal dose) mg/kg
EPA OTS 798.1150	Rat	Inhalation	>0.67	LC0 mg/m ³ The maximal attainable dust concentration of 0.67 mg/l produced no signs of toxicity.

1,2,3-propanetriol, glycerol (56-81-5)				
Method	Species	Exposure route	Effective dose	Remarks
Not defined	Mouse	Oral	>10000	LD50 (lethal dose) mg/kg
Not defined	Guinea pig	Dermal	>10000	LD50 (lethal dose) mg/kg
Not defined	Rat	Inhalation	>2.75	LC50 mg/l 4h

Skin corrosion/irritation

Irritating to skin. Safety factor.

Product Information			
Method	Species	Exposure route	Results:
OECD Test No. 404: Acute Dermal Irritation/Corrosion	rabbit	Skin	Causes mild skin irritation Category 3 Read-across from similar product

Propionic acid (79-09-4)			
Method	Species	Exposure route	Results:
Other Guidelines	rabbit	Dermal	Corrosive Category 1B

Sodium formate (141-53-7)			
Method	Species	Exposure route	Results:
OECD Test No. 404: Acute Dermal Irritation/Corrosion	rabbit	Dermal	Non-irritant

1,2,3-propanetriol, glycerol (56-81-5)			
Method	Species	Exposure route	Results:
Not defined	rabbit	Dermal	Non-irritant

Serious eye damage/eye irritation

Risk of serious damage to eyes.

Product Information			
Method	Species	Exposure route	Results:
OECD 438	in vitro	eye	Causes serious eye damage

Propionic acid (79-09-4)			
Method	Species	Exposure route	Results:
Other Guidelines	Rabbit	Eye	Corrosive

Sodium formate (141-53-7)			
Method	Species	Exposure route	Results:
OECD Test No. 405: Acute Eye Irritation/Corrosion	rabbit	Eye	Non-irritant No classification according to GHS criteria.

1,2,3-propanetriol, glycerol (56-81-5)			
Method	Species	Exposure route	Results:
Not defined	rabbit	Eye	Non-irritant

Respiratory or skin sensitisation

According to the data on the components: Not a skin sensitiser.

Propionic acid (79-09-4)			
Method	Species	Exposure route	Results:
OECD Test No. 406: Skin Sensitisation	Guinea pig	Skin	Not a skin sensitiser

Sodium formate (141-53-7)			
Method	Species	Exposure route	Results:
OECD Test No. 406: Skin Sensitisation	Guinea pig	Skin	Not a skin sensitiser read-across from supporting substance (structural analogue)

Germ cell mutagenicity

According to the data on the components: Not mutagenic.

Propionic acid (79-09-4)			
Method	Species	Exposure route	Results:
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro		Negative
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	in vitro		Negative read-across from supporting substance (structural analogue)
OECD Test No. 479: Genetic Toxicology: In vitro Sister Chromatid Exchange Assay in	in vitro		Negative

Mammalian Cells		
OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test	in vivo	Negative

Sodium formate (141-53-7)		
Method	Species	Results:
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Negative
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	in vitro	Negative read-across from supporting substance (structural analogue)
OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test	in vitro	Negative read-across from supporting substance (structural analogue)
OECD Test No. 477: Genetic Toxicology: Sex-Linked Recessive Lethal Test in <i>Drosophila melanogaster</i>	in vivo	Negative

1,2,3-propanetriol, glycerol (56-81-5)		
Method	Species	Results:
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Negative
OECD Test No. 473: In vitro Mammalian Chromosome Aberration Test	in vitro	Negative
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	in vitro	Negative
OECD Test No. 482: Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells in vitro	in vitro	Negative

Carcinogenicity

According to the data on the components. Animal studies have not shown any carcinogenic potential.

Propionic acid (79-09-4)				
Method	Species	Exposure route	Effective dose	Remarks
Unknown	Rat	Oral	4000	NOAEL ppm Animal studies have not shown any carcinogenic potential.

Sodium formate (141-53-7)				
Method	Species	Exposure route	Effective dose	Remarks
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat	Oral	2000	NOAEL mg/kg bw/d No carcinogenic effects have been observed. read-across from supporting substance (structural analogue)

1,2,3-propanetriol, glycerol (56-81-5)				
Method	Species	Exposure route	Effective dose	Remarks
Not defined	Rat	Oral		No carcinogenic effects have been observed. 2 years

Reproductive toxicity

According to the data on the components: No impairment of fertility has been observed. No embryotoxic or teratogenic effects have been observed.

Propionic acid (79-09-4)				
Method	Species	Exposure route	Effective dose	Remarks
OECD Test No. 414: Pre-natal Development Toxicity Study	Rat	Oral	300	NOAEL mg/kg bw/d read-across from supporting substance

				(structural analogue)
--	--	--	--	-----------------------

Sodium formate (141-53-7)

Method	Species	Exposure route	Effective dose	Remarks
OECD Test No. 414: Pre-natal Development Toxicity Study	Rat	Oral	1000	NOAEL mg/kg bw/d No embryotoxic or teratogenic effects have been observed.
OECD Test No. 416: Two-Generation Reproduction Toxicity	rabbit	Oral	1000	NOAEL mg/kg bw/d No impairment of fertility has been observed. No embryotoxic or teratogenic effects have been observed.

1,2,3-propanetriol, glycerol (56-81-5)

Method	Species	Exposure route	Effective dose	Remarks
Not defined	Rat	Oral	2000	NOAEL mg/kg bw/d

STOT - single exposure Irritating to respiratory system.

Propionic acid (79-09-4)

Method	Species	Exposure route	Effective dose	Remarks
		Inhalation		Irritating to respiratory system

STOT - repeated exposure

Propionic acid (79-09-4)

Method	Species	Exposure route	Effective dose	Remarks
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	Oral	6200	NOAEL Chronic effects, local ppm
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	Oral	50000	NOAEL systemic toxicity ppm
OECD Test No. 411: Sub-chronic Dermal Toxicity: 90-day Study	Mouse	Dermal	136.9	LOAEL Subchronic toxicity mg/kg bw/d
OECD Test No. 409: Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents	Dog	Oral	733.4	NOAEL mg/kg bw/d

Sodium formate (141-53-7)

Method	Species	Exposure route	Effective dose	Remarks
OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	Rat	Oral	3138	NOAEL mg/kg bw/d read-across from supporting substance (structural analogue)

1,2,3-propanetriol, glycerol (56-81-5)

Method	Species	Exposure route	Effective dose	Remarks
Not defined	Rat	Oral	8000-10000	NOAEL mg/kg bw/d
Not defined	Rat	Inhalation	167	NOAEL mg/m ³

Aspiration hazard

No information available.

SECTION 12: Ecological information**12.1. Toxicity**

Low toxicity to aquatic organisms.

12% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Propionic acid (79-09-4)					
Method	Species	Exposure route	Effective dose	Exposure time	Remarks
DIN 38412	Leuciscus idus	Freshwater	>10000	96h	LC50 (lethal concentration) mg/l
Regulation (EC) No. 440/2008, Annex, C.2	Daphnia magna	Freshwater	>500	48h	EC50 (effective concentration) mg/l
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Scenedesmus subspicatus	Freshwater	>500	72h	EC50 (effective concentration) mg/l
DIN 38412	Leuciscus idus	Freshwater	>5000	96h	NOEC mg/l
Regulation (EC) No. 440/2008, Annex, C.2	Daphnia magna	Freshwater	250	48h	NOEC mg/l

Sodium formate (141-53-7)					
Method	Species	Exposure route	Effective dose	Exposure time	Remarks
EPA OTS 797.1400	Oncorhynchus mykiss (rainbow trout)	Freshwater	>1000	96h	LC50 (lethal concentration) mg/l
EPA-660/3-75-009	Daphnia magna	Freshwater	>1000	48h	EC50 (effective concentration) mg/l
OECD Test No. 201: Freshwater Algae and Cyanobacteria, Growth Inhibition Test	Pseudokirchneriella subcapitata	Freshwater	>1000	72h	EC50 (effective concentration) mg/l read-across from supporting substance (structural analogue)

1,2,3-propanetriol, glycerol (56-81-5)					
Method	Species	Exposure route	Effective dose	Exposure time	Remarks
Not defined	Salmo gairdneri	Freshwater	54000	96h	LC50 (lethal concentration) mg/l
Not defined	Daphnia magna	Freshwater	>10000	24h	EC50 (effective concentration) mg/l
Not defined	Algae Scenedesmus quadricauda	Freshwater	>10000	8d	EC3 mg/l
Not defined	Pseudomonas putida	Freshwater	>10000	16h	NOEC mg/l

12.2. Persistence and degradability

Based on the degradability studies on the ingredients, the product is expected to be readily biodegradable.

Propionic acid (79-09-4)			
Method	Value	Exposure time	Results:
Regulation (EC) No. 440/2008, Annex, C.5 (BOD)	93%	20d	Readily biodegradable
OECD Test No. 302B: Inherent Biodegradability: Zahn-Wellens/ EVPA Test	95%	10d	Readily biodegradable
Unknown	74%	30d	Readily biodegradable

Sodium formate (141-53-7)			
Method	Value	Exposure time	Results:
OECD Test No. 306: Biodegradability in Seawater	86%	28d	Readily biodegradable
DIN EN 1899 BOD	3940	5d	mgO2/kg

1,2,3-propanetriol, glycerol (56-81-5)			
Method	Value	Exposure time	Results:
Not defined	94%	24h	Readily biodegradable

12.3. Bioaccumulative potential

Based on the partition coefficients of the ingredients the product is not expected to bioaccumulate in organisms.

Chemical Name	Partition coefficient	Bioconcentration factor (BCF)
Propionic acid	0.33	
Sodium formate	-1.8	
1,2,3-propanetriol, glycerol	-1.75	

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

12.6. Other adverse effects

Emissions to water lowers the pH. This may cause local damage to fish and aquatic organisms in the discharge area.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

This material and its container must be disposed of as hazardous waste.

Contaminated packaging

Do not re-use container.

Waste codes / waste designations according to EWC / AVV

Waste from residues/unused products: 16 03 05*.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

ADR Road transport

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
Subsidiary class	-
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	None

RID Rail transport

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
Subsidiary hazard class	-
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	None

IMDG Sea transport

14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated

14.4 Packing Group	Not regulated
14.5 Marine pollutant	Not applicable
14.6 Special precautions for user	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

IATA Air transport	Not regulated
14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Not applicable.

European Union

REGULATION (EC) No 1831/2003 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on additives for use in animal nutrition

France

Occupational Illnesses (R-463-3, France)

Not applicable

Germany

Water hazard class (WGK)

Water endangering class = 1 (self classification)

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Issue Date 19-Dec-2019

Revision Date 19-Dec-2019

Revision Note SDS sections updated: 8 and 11.

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006, COMMISSION REGULATION (EU) No. 830/2015 of 20 May 2015.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet