

## Safety information

# SOLUTION ŒNOLOGIQUE 64

23/03/2020, version 2

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SOLUTION ŒNOLOGIQUE 64

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Enological product

1.3. Details of the supplier of the safety data sheet

Company:

SOFRALAB

79 AV. A.A. Thévenet - CS11031

51530 MAGENTA - FRANCE

Tel: 0033 (0) 326 51 29 30 - Fax: 0033 (0)3 26 51 87 60

Competent person responsible for the safety data sheet:

lcq@sofralab.com

1.4. Emergency telephone number

Emergency telephone number of the company and/or of an authorised advisory centre:

ORFILA 0033 (0)1 45 42 59 59

---

### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

---

### SECTION 3: Composition/information on ingredients

3.1. Substances




N.A.

## Safety information

### SOLUTION ŒNOLOGIQUE 64

#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

< 1%	POTASSIUM BISULPHITE	CAS: 7773-03-7 EC: 231-870-1	 3.3/2 Eye Irrit. 2 H319  3.8/3 STOT SE 3 H335 EUH031
=< 2%	ACIDE CITRIQUE	CAS: 5949-29-1 EC: 201-069-1	 3.3/2 Eye Irrit. 2 H319

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

##### 4.2. Most important symptoms and effects, both acute and delayed

None

##### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

##### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

##### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

## Safety information

### SOLUTION ŒNOLOGIQUE 64

- Remove all sources of ignition.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.
- Provide adequate ventilation.
- Use appropriate respiratory protection.
- See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections
  - See also section 8 and 13

---

#### SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Use localized ventilation system.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
  - Contaminated clothing should be changed before entering eating areas.
  - Do not eat or drink while working.
  - See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Keep away from food, drink and feed.
  - Incompatible materials:
    - Keep away from acids.
  - Instructions as regards storage premises:
    - Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

---

#### SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
  - POTASSIUM BISULPHITE - CAS: 7773-03-7
    - OEL Type: ACGIH - STE: 0.25 ppm - Notes: SO<sub>2</sub>
    - OEL Type: EU - LTE: 0.5 ppm - STE: 1 ppm - Notes: SO<sub>2</sub>
  - DNEL Exposure Limit Values
    - N.A.
  - PNEC Exposure Limit Values
    - N.A.
  - CITRIC ACID - CAS: 5949-29-1
    - Target: Fresh water - value: 0.44 mg / l
    - Target: Marine water - value: 0.044 mg / l
    - Target: Freshwater sediments - value: 34.6 mg / kg
    - Target: Marine water sediment - value: 3.46 mg / kg
    - Target: Microorganisms in wastewater treatment - value: 1000 mg / l
- 8.2. Exposure controls
  - Eye protection:
    - Eye glasses with side protection.
  - Protection for skin:

## Safety information

### SOLUTION ŒNOLOGIQUE 64

Overall.  
 Protection for hands:  
   Suitable gloves type:  
   UNI EN 420/UNI EN 374  
 Respiratory protection:  
   Gas filtering device (DIN EN 141).  
 Thermal Hazards:  
   None  
 Environmental exposure controls:  
   None  
 Appropriate engineering controls:  
   None

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	Bleu liquid	--	--
Odour:	Pungent	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	1.00 à 1.05 Kg/dm <sup>3</sup>	--	--
Solubility in water:	Soluble	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

### 9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--

## Safety information

### SOLUTION ŒNOLOGIQUE 64

---

#### SECTION 10: Stability and reactivity

- 10.1. Reactivity  
Stable under normal conditions
  - 10.2. Chemical stability  
Stable under normal conditions
  - 10.3. Possibility of hazardous reactions  
None
  - 10.4. Conditions to avoid  
Stable under normal conditions.
  - 10.5. Incompatible materials
  
  - 10.6. Hazardous decomposition products  
N.A.
- 

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

POTASSIUM BISULPHITE - CAS: 7773-03-7

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2300 mg/kg - Notes: dry product

c) serious eye damage/irritation:

Test: Eye Corrosive

CITRIC ACID - CAS: 5949-29-1

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3000 mg / kg

Test: LD50 - Route: Skin - Species: Mouse > 5400 mg / kg if not differently specified, the

information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
  - b) skin corrosion/irritation;
  - c) serious eye damage/irritation;
  - d) respiratory or skin sensitisation;
  - e) germ cell mutagenicity;
  - f) carcinogenicity;
  - g) reproductive toxicity;
  - h) STOT-single exposure;
  - i) STOT-repeated exposure;
  - j) aspiration hazard.
- 

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

BISULFITE DE POTASSIUM - CAS: 7773-03-7

a) Aquatic acute toxicity:

Endpoint: LC50 Fish = 460-1000 mg/l - Duration h: 96 - Notes: dry product

Endpoint: EC50 BACTERIA = 65 mg/l - Duration h: 17 - Notes: dry product

CITRIC ACID - CAS: 5949-29-1

a) Acute aquatic toxicity:

End Point: LC50 Fish = 440 mg / l - Duration h: 48

Endpoint: EC50 Daphnia = 1535 mg / l - Duration h: 24

Endpoint: NOEC Algae = 425 mg / l - Duration h: 192

## Safety information

### SOLUTION ŒNOLOGIQUE 64

- 12.2. Persistence and degradability  
N.A.
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

#### SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

#### SECTION 14: Transport information

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
N.A.
- 14.3. Transport hazard class(es)  
N.A.
- 14.4. Packing group  
N.A.
- 14.5. Environmental hazards  
ADR-Environmental Pollutant: No  
IMDG-Marine pollutant: No
- 14.6. Special precautions for user  
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
N.A.

---

#### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP) and amendments
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
  - Restrictions related to the product:
    - Restriction 3
  - Restrictions related to the substances contained:
    - No restriction.
- Where applicable, refer to the following regulatory provisions :
  - Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
  - Regulation (EC) nr 648/2004 (detergents).
  - 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A.

## Safety information

### SOLUTION ŒNOLOGIQUE 64

15.2. Chemical safety assessment: No

---

#### SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

EUH031 Contact with acids liberates toxic gas.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.