

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name FOAM ND-QF

UFI : YFAE-VOTA-X00A-STK3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the product

SL - Soluble Concentrate
Concentrated liquid for professional use only
AGRI-FOOD INDUSTRIES
FOOD SERVICE : KITCHEN AREA, BATHROOM AREA, FLOORS, TABLES,
COUNTER
NEUTRAL FOAMING DISINFECTANT DETERGENT
FOR CLEANING AND DISINFECTING SURFACES AND EQUIPMENTS BY
FOAMING, SPRAYING AND DIPPING APPLICATION

Uses advised against

The product must not be used for purposes other than those specified above and in the Product Data Sheet, without first obtaining written handling instructions from the supplier

1.3. Details of the supplier of the safety data sheet

Company identification

Out of hours Emergency Telephone Number +44 (0) 1865 407333
UK - Holchem Laboratories Ltd. Gateway House,
Pilsworth Road, Bury, BL9 8RD
Tel : +44 (0) 1706 222288; e-mail info@holchem.co.uk
EU - HYPRED SAS
55, Boulevard Jules Verger B.P 10180
35803 DINARD Cedex - FRANCE
Tél : +33 (0)2 99 16 50 00 / Fax : +33 (0)2 99 16 50 20
e-mail : kersia@kersia-group.com

For information regarding this safety data sheet, please contact :
regulatory@kersia-group.com

1.4. Emergency telephone number

Emergency phone number

Emergency direct number (24 hours a day, 7 days a week) : +44 1273
289451

CARECHEM 24
Tel. +44 1865 407333

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

For information or to report a poisoning incident contact The National Poisons Information Centre:
+353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week).
Healthcare Professionals:
+353 (1) 809 2566 (24 hour service)
NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Skin irritation - Category 2

H315: Causes skin irritation.

Serious damage to eyes - Category 1

H318: Causes serious eye damage.

Hazardous to the aquatic environment – Chronic - Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word :

Danger

Contains : N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine+ Isotridecanol, ethoxylated

Hazard statement(s) :

H315: Causes skin irritation.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s) :

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

The mixture does not contain substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. in concentration greater than 0.1%.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable as this involves a mixture.

3.2. Mixtures

Chemical nature of the mixture : LIQUID ALKALI

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

 Version **7.2.0**

 Creation date : **2024-05-31**

 Revision: **2025-11-20**

 Print Date : **2025-11-21**

Substance(s)	CAS number(s)	EINECS number(s)	index	No registration REACH	Classification according to Regulation (EC) 1272/2008	SCL M-factor ATE	Type
1% <= Isotridecanol, ethoxylated < 5%	69011-36-5				Eye Dam. 1 H318 Acute Tox. 4 (oral) H302		(1)
1% <= Propane-1,2-diol < 5%	57-55-6	200-338-0		01-2119456809-23	Not classified		(2)
1% <= N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine < 5%	2372-82-9	219-145-8		Biocidal active substance, regarded as already registered	Skin Corr. 1B H314 Aquatic Chronic 1 H410 Acute Tox. 3 (oral) H301 STOT RE 2 H373 Aquatic Acute 1 H400	M Factor (Acute) 10 M Factor (Chronic) 1	(1)
1% <= Alkylpolyglycoside C8-10 < 5%	68515-73-1	500-220-1		01-2119488530-36	Eye Dam. 1 H318		(1)
1% <= Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides < 5%	308062-28-4	931-292-6		01-2119490061-47	Acute Tox. 4 (oral) H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	M Factor (Acute) 1	(1)
0.5% <= Alkyl polyglycoside C10-16 < 5%	110615-47-9	600-975-8		01-2119489418-23	Skin Irrit. 2 H315 Eye Dam. 1 H318		(1)

Type

(1) : Substance classified as hazardous for health and/or the environment

(2) : Substance with an exposure limit at the work station.

Substance of very high concern candidate for the authorisation procedure:

(3) : Substance considered as PBT (persistent, bioaccumulable, toxic)

(4) : Substance considered as vPvB (very persistent, very bioaccumulable)

(5) : Substance considered as carcinogenic category 1A

(6) : Substance considered as carcinogenic category 1B

(7) : Substance considered as mutagenic category 1A

(8) : Substance considered as mutagenic category 1B

(9) : Substance considered as reprotoxic category 1A

(10) : Substance considered as reprotoxic category 1B

(11) : Substance considered as endocrine disrupter

(12) : Other substance considered hazardous to health or the environment

(N) : Nanomaterial

(M) : Microorganisms

Full text of H- and EUH- phrases : see section 16.

SECTION 4: FIRST AID MEASURES
4.1. Description of first aid measures

General indications:

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.
In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

In the event of inhalation :

Bring to fresh air.

Put into practice respiratory help procedure if needed and get medical advice immediately.

In the event of contact with the skin :

Wash immediately with plenty of water for 15 minutes at least.

If skin irritation occurs: Get medical advice/attention.

In the event of contact with the eyes :

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.

Remove contact lenses if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion :

Rinse mouth.

Do NOT induce vomiting.

Get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact : FOAM ND-QF contains subtilisine. Can produce an allergic reaction.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.

Inhalation : No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Treatments : Symptomatic treatment

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media :

CO2, powder, pulverized water

Unsuitable extinguishing media :

5.2. Special hazards arising from the substance or mixture

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

FOAM ND-QF is non-flammable.

Risk of carbon monoxide (CO) emission in the event of fire.

5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

6.1.2. For emergency responders :

Evacuate the personnel to a safe location.

Keep people upwind and away from the location of the flow/leak.

Use personal protection equipment.

6.2. Environmental precautions

Intervention limited to trained staff.

Do not discharge the product directly to sewer or to environment.

Take as soon as possible all incompatible materials away.

6.3. Methods and material for containment and cleaning up

Small spillage :

Pump in a reservoir of help.

Large spillage :

Mark out, soak up with an inert absorbant and pump in an emergency tank.

Never return spills in original containers for re-use.

Keep in suitable, properly labelled and closed containers for disposal.

6.4. Reference to other sections

Respect protective measures presented at heading 8.

Refer to section 13 for the elimination.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Do not eat, drink or smoke in work area. Avoid projections during use.

Do not mix with an acid.

Take off immediately all contaminated clothing.

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Storage :

- Keep only in the original container.
- Keep container closed.
- Keep in a clean and dry place.
- Keep away from products sensitive to alkalis.

7.2.2. Packaging or wrapping materials :

- High density polyethylene recommended.

7.3. Specific end use(s)

FOAM ND-QF is for use as a biocide.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values :

Substance	CAS number	Country	Type	Value	Unit	Comments	source
Propane-1,2-diol	57-55-6	IRL	OEL 8h	150	ppm	Total vapour and particulates	International limit values for chemical agents
				470	mg/m³	Total vapour and particulates	International limit values for chemical agents
				10	mg/m³		International limit values for chemical agents
<i>N</i> -(3-aminopropyl)-N-dodecylpropene-1,3-diamine	2372-82-9	CHE	OEL 8h	0,05	mg/m³	Inhalable fraction	International limit values for chemical agents
			OEL Short term	0,4	mg/m³	Inhalable fraction	International limit values for chemical agents
		DEU	OEL 8h	0,05	mg/m³	Inhalable fraction (2) 15 minutes average value	International limit values for chemical agents (German Committee on Hazardous Substances)
			OEL Short term	0,4	mg/m³	Inhalable fraction (2) 15 minutes average value	International limit values for chemical agents (German Research Foundation)
							International limit values for chemical agents (German Research Foundation)
							International limit values for chemical agents (German Research Foundation)

8.2. Exposure controls

According to the requirements of Directive 98/24 /EC, the employer is required to conduct a risk assessment and implement appropriate risks management measures.

* For any situation where the absence of risk is not proven, he must consider the substitution or reduction of risk by improving in priority processes used and collective protection measures. The effectiveness of the solutions implemented will be checked by measurement in comparison to the statutory limit values for substances defined in Section 8.1.

* If the risk remains after these corrective actions, he must always check by routinely measuring compliance with regulatory OEL if they exist in section 8.1 and apply all the individual protective measures given in section 8.2.

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

* When formalized risk assessment indicates a low risk to workers' health, control of compliance with regulatory OEL may not be considered and all individual protection measures is not always mandatory.

8.2.1. Appropriate engineering controls :

Ensure adequate ventilation.

Apply the necessary technical measures to comply with the professional exposure limit values.

8.2.2. Individual protection measures, such as personal protective equipment :

Eye/face protection :

Use safety glasses or facial screen in conformity with the EN ISO 16321-1 standard.



Hand protection :

Use chemical resistant gloves approved to EN 374.

Examples of prefered materials for insulating gloves:

Butyl rubber.

Nitrile rubber.

Thickness: > 0.4 mm

Permeation time >= 480 min



Skin protection :

Wear boots and a protective cloth with chemical resistance.



Respiratory protection :

During applications that cause aerosols to form, wear a half-mask in compliance with the European standard EN 140 or a complete mask in conformity with the European standard EN 136 equipped with a filter (in conformity with the European standard EN 143) of the following type:

P2: Particles, solid aerosols and liquids

Thermal hazards :

Not applicable

Health measures :

Safety shower and eye wash fountain near to workplace.

After using, wash systematically all personal protective equipment.

Handle in accordance with good industrial hygiene practices and the safety instructions.

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid
Colour	Colourless to pale yellow
Odour	Characteristic
Odour threshold	Not available
Freezing point	-2 °C
Melting point	Not applicable
Boiling point	Not available
Flammability	Not applicable
Lower explosive limit	Not applicable
upper explosive limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Pure pH	≈ 10
pH value at 10g/l	≈ 10.5
kinematic viscosity	Not applicable
Solubility in water	Soluble in water in all proportions
Solubility	Not applicable
Partition coefficient: n-octanol/water	Not available
Vapour pressure	Not available
Mass density	1.035 g/cm³
Relative density	1.035
Vapour density	Not applicable
Particle characteristics	Not applicable

9.2. Other information

Explosive properties	Not applicable
Oxidising properties	Not applicable
Viscosity	Not available
Evaporation rate:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Hazards linked to exothermal reactions.

10.2. Chemical stability

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

Stable in the recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Exothermic reactions with acids.

10.4. Conditions to avoid

None to our knowledge.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

None to our knowledge in standard conditions of use.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) N°1272/2008

Substance-related data:

Acute toxicity

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (30%) : LD 50 - oral rat 871 mg/kg. - MSDS supplier

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : LD 50 - oral rat 50 - 300 mg/kg. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LD 50 - oral rat 1,064 mg/kg. - MSDS supplier

Skin corrosion/irritation

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : Skin irritation . Corrosive.; Causes burns. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Cutaneous contact . Irritating - MSDS supplier

Alkyl polyglycoside C10-16 + Alkylpolyglycoside C8-10 : Skin irritation rabbit (OECD 404): . Irritating - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Skin corrosion/irritation rabbit (OECD 404): . Irritating - MSDS supplier

Serious damage to eyes/eye irritation

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Eye irritation . Risk of serious damage of eyes - MSDS supplier

Alkyl polyglycoside C10-16 + Alkylpolyglycoside C8-10 : Eye irritation rabbit (OECD 405): . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC. - MSDS supplier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Serious damage to eyes/eye irritation rabbit (OECD 405): . Causes burns. - MSDS supplier

Sensitisation

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : Sensitisation . Not sensitising - MSDS supplier

Mutagenicity

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : . Not mutagenic - MSDS supplier

Mix-related data::

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

Acute toxicity

. Not determined

Skin corrosion/irritation

Skin irritation . The mixture is considered to be irritating to the skin according to the Regulation 1272/2008/EC.

Serious damage to eyes/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

Respiratory / skin sensitisation

Skin sensitisation . The mixture is not considered as a skin sensitisier according to 1272/2008/EC Regulation.

Respiratory sensitisation . The mixture is not considered as a respiratory sensitisier according to 1272/2008/EC Regulation.

Mutagenicity

. based on available data, the classification criteria are not met.

Carcinogenicity

. based on available data, the classification criteria are not met.

Reproductive toxicity

. based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

. based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

. based on available data, the classification criteria are not met.

Aspiration hazard

. based on available data, the classification criteria are not met.

Most important symptoms and effects, both acute and delayed :

Skin contact : FOAM ND-QF contains subtilisine. Can produce an allergic reaction.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.

Inhalation : No data available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Not concerned

SECTION 12: ECOLOGICAL INFORMATION

12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

Acute toxicity

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : EC 50 - 48h daphnia 3.1 mg/L. - MSDS supplier
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : EC 50 - 48h daphnia (OECD 202): > 0.01 - 0.1 mg/L. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : IC 50 algae 0.143 mg/L. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : LC 50 - 96h fishes 2.67 mg/L. - MSDS supplier
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : LC 50 - 96h fishes (OECD 203): > 0.1 - 1 mg/L. - MSDS supplier
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : EC 50 - 72h algae > 0.01 - 0.1 mg/L. - MSDS supplier

Chronic toxicity

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : NOEC - 72h algae (Selenastrum capricornutum) > 0.001 - 0.01 mg/L. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : NOEC algae 0.067 mg/L. - MSDS supplier

Degradability

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides : Biodegradability . Easily biodegradable. - MSDS supplier
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine : Biodegradability (OECD 301D): . Easily biodegradable. - MSDS supplier
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (30%) : Biodegradability - 28days (OECD 301 D): > 90 %. Easily biodegradable. - MSDS supplier

Mix-related data:

Acute toxicity

fishes . Not determined
daphnia . Not determined
algae . Not determined

Chronic toxicity

. No data available.

Degradability

. The surface agents contained in this mix are in line with the requirements of the Detergent Regulation 648/2004/EC.

Bioaccumulation

. No data available.

Mobility

. No data available.

Conclusion:

The mixture is considered to be dangerous for the environment according to 1272/2008/EC Regulation.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

12.6 Endocrine disrupting properties

Not concerned

12.7. Other adverse effects

No additional information available.

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Treatment of the mixture :

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes.

Comply with Directive 2008/98/EC of 19/11/2008 amended, relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2014/955/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

SECTION 14: TRANSPORT INFORMATION

ROAD TRANSPORT: Rail/Route (RID/ADR)

14.1 UN number or ID number : 2735

14.2 UN proper shipping name :

AMINES, LIQUID, CORROSIVE, N.O.S (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)

14.3 Transport hazard class(es) : 8

14.4 Packing group : III

Hazard identification number : 80

Label : 8



Tunnel code : (E)

14.5 Environmental hazards : No

14.6 Special precautions for user : No information.

Limited Quantity (QL): 5L

MARITIME TRANSPORT : IMDG

14.1 UN number or ID number : 2735

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

14.2 UN proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)

14.3 Transport hazard class(es) : 8



14.4 Packing group : III

14.5 Environmental hazards

Marine pollutant : No

14.6 Special precautions for user : No information.

EmS number : F-A, S-B

IMDG segregation group (SGG18) - segregation code (SG17 - SG20 - SG6 - SG60)

Limited Quantity (QL): 5L

14.7 Maritime transport in bulk according to IMO instruments : Not concerned

AIR TRANSPORT : IATA

14.1 UN number or ID number : 2735

14.2 UN proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)

14.3 Transport hazard class(es) : 8



14.4 Packing group : III

Packing instruction Limited quantities passengers and cargo aircraft : Y841
Limited Quantities passengers and cargo aircraft : 1L

Packing instruction passengers and cargo aircraft : 852
Max. net quantity passengers and cargo aircraft : 5L

Packing instruction cargo aircraft : 856
Max. net quantity cargo aircraft : 60L

Special provisions : -

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

ERG code : 8L

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) n°528/2012 concerning the making available on the market and use of biocidal products :
Active ingredient: N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Regulations relating to the hazards from major accidents :
SEVESO 3 Directive (2012/18/EC) : Not concerned

Regulations relating to the classification, packaging and labelling of substances and mixtures :
Regulation (EC) 1272/2008 amended.

Waste regulations :
2008/98/EC Directive amended by 2015/1127/EC Directive - Regulation 1357/2014/EC
Decision 2014/955/EC which establishes the list of hazardous waste.

Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals : Not concerned

Protection of workers :
Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EU) 2019/1021 of 20 June 2019 on persistent organic pollutants : Not applicable

Regulation (EC) 1005/2009 amended on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors:
Not concerned

Regulation (EC) 648/2004 :
In conformity with the regulation in force on detergents: Regulation (EC) N° 648/2004.
Ingredient datasheet for the medical staff is available upon written request.
Contains :
5-15% Non-ionic surfactants
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, Disinfectants

Comply with national and local legislation.

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version 7.2.0

Creation date : 2024-05-31

Revision: 2025-11-20

Print Date : 2025-11-21

UN Globally Harmonised System (GHS) on Classification and Labelling of Chemical (GB CLP - SI 2020 No. 1567) and UK REACH (SI 2020 No. 1577)

15.2. Chemical safety assessment

This safety data sheet has been drafted taking into account the information from exposure scenarios for the substances making up the mixture.

SECTION 16: OTHER INFORMATION

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

The classification of this product has been established in accordance with Regulation (EC) 1272/2008 (CLP) and associated guidance, on the basis of the data available for the substances, mixture and/or calculation method and/or expert judgement.

Section(s) modified compared with the previous version :

SECTION 14: TRANSPORT INFORMATION

List of H phrases referred to in section 3 :

H301 : Toxic if swallowed.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

H373 : May cause damage to organs through prolonged or repeated exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

H411 : Toxic to aquatic life with long lasting effects.

Sources of key data used to compile the data sheet :

MSDS supplier

International limit values for chemical agents

FOAM ND-QF

Code: 034X1

Safety Data Sheet compliant with Regulation (EU) 2020/878

Version **7.2.0**

Creation date : **2024-05-31**

Revision: **2025-11-20**

Print Date : **2025-11-21**

Historical :

Version 7.2.0

Cancels and replaces previous version 7.1.